

NIQ No: 4/IISER/Tirupati/NIQ/2020-21

Date: 09.09.2020

**Notice Inviting Quotation**

Sealed quotations are hereby invited by the undersigned on behalf of the Director, IISER Tirupati for the work mentioned below upto 3:00 PM on 17/09/2020 from eligible contractors agencies with similar works experience in electrical works. The quotations will be opened at 3.30 PM on the same day.

**Name of work: Construction of handwash station at IISER Tirupati transit campus**

Issue to –

Address of the agency –



*V. Srinivasan* 09/09/20

Executive Engineer  
IISER Tirupati

**Terms and Conditions:**

- 1) No advance payment shall be made by IISER Tirupati.
- 2) The applicant should be registered with CPWD , Andhra Pradesh State PWD, MES, Railways or state universities in appropriate category for Civil works.
- 3) Time period for completion of work shall be **10 Days** from the date of placing the confirm order by IISER Tirupati. The act of backing-out after quotation will debar such agencies for participating in future quotations of IISER Tirupati. Bidder may e-mail queries on [srujan@iisertirupati.ac.in](mailto:srujan@iisertirupati.ac.in) or submit to IISER Tirupati office in hard copy on all working days before a day of submission date of quotation.
- 4) Blank Quotation can be obtained from IISER Tirupati website <http://www.iisertirupati.ac.in/tenders/>
- 5) All agencies need to submit their quotation in hard copy in a sealed envelope to this office by suitable means on and before 3 PM on 17/09/2020. Quotation received after the date & time specified above shall not be accepted. Any delays, postal delay etc. will not be entertained. Agency should quote for all the items in the BOQ. The bid shall be submitted in the original bid document (as issued by the IISER Tirupati) super scribing the name of work. Quotations will be opened on the same day i.e., 17/09/2020 at 3.30 PM in the presence of bidder or their authorized representatives, if any. The offer of the firm should be commercially clear including acceptance of all terms and conditions without assigning any reasons.

- 6) Quoted rates should be inclusive of cost of all the materials, labour cost, octroi , duties, cost of sample and fees towards testing of materials in labs ,royalties etc. complete. Nothing extra shall be paid.
- 7) All approved makes shall be as specified in BOQ and as per CPWD specifications, agency should put-up technical data and obtain prior approval on makes of various materials of IISER Tirupati before taking-up work.
- 8) The successful agency shall make his own arrangement for all Tools & tackles for work etc. complete in view of completion of work. Electricity shall be provided free of cost to agency at one source, agency should make own arrangement to safely tap of power from source to work location.
- 9) TDS and other applicable taxes and cess will be deducted from the bills as of the work.
- 10) Specification for the work to be carried out as per BOQ, latest CPWD specification, IS specifications & as per instruction of IISER Tirupati wherever CPWD/ IS specification are not available.
- 11) The contractor shall ensure that minimum wages should be paid to the labour's and employees in accordance with labour laws.
- 12) Agency to submit computerized measurement and abstract sheets to IISER Tirupati for payments.
- 13) Amount quoted for items should be as specified in the BOQ.
- 14) Following the latest developments and restrictions imposed in the country and state in view of the COVID-19, the agency should have strict compliance towards the rules and precautionary measures mentioned in the orders issued by the State Government from time to time. The submission of bids should be in the tender box placed at main gate of Institute. Also, successful agency should ensure all safety precautions, social distancing norms during the execution of work.



*V. Srinivasan*  
09/09/20  
Executive Engineer  
IISER Tirupati

Sign & stamp of Agency-

Encl : - Schedule of Quantity – As per Annexure A.

## ANNEXURE

Name of Work : Construction of handwash station at IISER Tirupati transit campus					
Item No	Description of Item	Qty	UNIT	RATE	AMOUNT
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.	3.00	cum		
2	Supplying and filling in plinth with Quarry dust under floors, including watering, ramming, consolidating and dressing complete.	6.00	cum		
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size)	7.00	cum		
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size)	1.30	cum		
5	18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) finished with a top layer 6 mm thick cement plaster 1:6 (1 cement : 6 fine sand).	3.00	sqm		
6	Masonry work in CM(1:6) prop. with FLYASH CEMENT SOLID BLOCKS of size 290x225x140mm manufactured with flyash of 80 kg, cement of 15kg and stone dust of compressive strength 50 kg/sqm. The rate is inclusive of all costs such as Tools, Tackles, labour, etc. Nothing Extra shall be paid	1.00	cum		
7	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete, size 300x300 mm	30.00	sqm		
8	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.	520.00	kg		
9 <sup>t</sup>	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :Two or more coats on new work	50.00	sqm		
10	Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required, 1.00 mm thick with zinc coating not less than 275 gm/m <sup>2</sup>	25.00	sqm		
<b>Total</b>					