



# भारतीय विज्ञान शिक्षा एवं अनुसंधान संस्थान तिरुपति

## INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH TIRUPATI

(An Autonomous Institute under Ministry of Human Resource Development, Govt. of India)  
Transit Campus : Sree Rama Engineering College Campus, Karakambadi Road,  
Mangalam B.O., Tirupati – 517 507, Andhra Pradesh, India.

NIQ No: 6/IISER/Tirupati/NIQ/2020-21

Date: 29.01.2021

### Notice Inviting Quotation

Sealed quotations are hereby invited by the undersigned on behalf of the Director, IISER Tirupati for the work mentioned below upto 3:00 PM on 05/02/2021 from eligible contractors agencies with similar works experience in civil works. The quotations will be opened at 3.30 PM on the same day.

**Name of work : Providing ramps for Multi-purpose hall and Hostel in IISER Tirupati transit campus.**

Issue to –

Address of the agency –



*V. Srinivasan*  
29/1/21  
Executive Engineer  
IISER Tirupati

### **Terms and Conditions:**

- 1) No advance payment shall be made by IISER Tirupati.
- 2) The applicant should be registered with CPWD , Andhra Pradesh State PWD, MES, Railways or state universities in appropriate category for Civil works.
- 3) Time period for completion of work shall be **10 Days** from the date of placing the confirm order by IISER Tirupati. The act of backing-out after quotation will debar such agencies for participating in future quotations of IISER Tirupati. Bidder may e-mail queries on [srujan@iisertirupati.ac.in](mailto:srujan@iisertirupati.ac.in) or submit to IISER Tirupati office in hard copy on all working days before a day of submission date of quotation.
- 4) Blank Quotation can be obtained from IISER Tirupati website <http://www.iisertirupati.ac.in/tenders/>
- 5) All agencies need to submit their quotation in hard copy in a sealed envelope to this office by suitable means on or before 3 PM on 05/02/2021. Quotation received after the date & time specified above shall not be accepted. Any delays, postal delay etc. will not be entertained. Agency should quote for all the items in the BOQ. The bid shall be submitted in the original bid document (as issued by the IISER Tirupati) super scribing the name of work. Quotations will be opened on the same day i.e., 05/02/2021 at 3.30 PM in the presence of bidder or their authorized representatives, if any. The offer of the firm should be commercially clear including acceptance of all terms and conditions without assigning any reasons.
- 6) Quoted rates should be inclusive of cost of all the materials, labour cost, octroi , duties, cost of sample and fees towards testing of materials in labs ,royalties etc. complete. Nothing extra shall be paid.

- 7) All approved makes shall be as specified in BOQ and as per CPWD specifications, agency should put-up technical data and obtain prior approval on makes of various materials of IISER Tirupati before taking-up work.
- 8) The successful agency shall make his own arrangement for all Tools & tackles for work etc. complete in view of completion of work. Electricity shall be provided free of cost to agency at one source, agency should make own arrangement to safely tap of power from source to work location.
- 9) TDS and other applicable taxes and cess will be deducted from the bills as of the work.
- 10) Specification for the work to be carried out as per BOQ, latest CPWD specification, IS specifications & as per instruction of IISER Tirupati wherever CPWD/ IS specification are not available.
- 11) The contractor shall ensure that minimum wages should be paid to the labour's and employees in accordance with labour laws.
- 12) Agency to submit computerized measurement and abstract sheets to IISER Tirupati for payments.
- 13) Amount quoted for items should be as specified in the BOQ.
- 14) Following the latest developments and restrictions imposed in the country and state in view of the COVID-19, the agency should have strict compliance towards the rules and precautionary measures mentioned in the orders issued by the State Government from time to time. The submission of bids should be in the tender box placed at main gate of Institute. Also, successful agency should ensure all safety precautions, social distancing norms during the execution of work.



*V. Ramesh Kumar*  
29/1/21  
Executive Engineer  
IISER Tirupati

Sign & stamp of Agency-

Encl : - Schedule of Quantity – As per Annexure A.

## Annexure A

<b>Name of work : Providing ramps for Multi-purpose hall and Hostel in IISER Tirupati transit campus.</b>					
<b>NIQ NO : 6/IISER/Tirupati/NIQ/2020-21</b>					
<b>Item No</b>	<b>Description of Item</b>	<b>Qty</b>	<b>Unit</b>	<b>Rate</b>	<b>Amount</b>
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil. The rate is inclusive of all tools, Tackles, accessories, leads, lifts & taxes Nothing extra shall be paid.	3	Cum		
2	Supplying and filling in plinth with Quarry dust under floors, including watering, ramming, consolidating and dressing complete. The rate is inclusive of all tools, Tackles, accessories, leads, lifts & taxes Nothing extra shall be paid.	9	Cum		
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size). The rate is inclusive of all tools, Tackles, accessories, leads, lifts & taxes Nothing extra shall be paid.	0.5	Cum		
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size). The rate is inclusive of all tools, Tackles, accessories, leads, lifts & taxes Nothing extra shall be paid.	5.5	Cum		
5	18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) finished with a top layer 6 mm thick cement plaster 1:6 (1 cement : 6 fine sand). The rate is inclusive of all tools, Tackles, accessories, leads, lifts & taxes Nothing extra shall be paid.	17	Sqm		
6	Masonry work in CM(1:6) prop. with FLYASH CEMENT SOLID BLOCKS of size 290x225x140mm manufactured with flyash of 80 kg, cement of 15kg and stone dust of compressive strength 50 kg/sqm. The rate is inclusive of all tools, Tackles, accessories, leads, lifts & taxes Nothing extra shall be paid.	2	Cum		
7	Providing and laying vitrified floor tiles (Parking tiles) in different sizes (thickness - 20mm) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. size 300x300 mm	17	Sqm		
8	Providing and laying vitrified floor tiles (Parking tiles) in different sizes (thickness - 8mm) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. size 300x300 mm	12	Sqm		

Item No	Description of Item	Qty	Unit	Rate	Amount
9	Providing and fixing stainless steel ( Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners , stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-incharge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).	200	Kg		
<b>TOTAL</b>					